Neuroscience Letters, 197 (1995) 244–247
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abraini, J.H., see Kriem, B., 57
Ackermann, H., see Daum, I., 137
Aida, K., see Iigo, M., 61
Albrecht, D., Zippel, U., Henklein, P., Inhibitory effects of cholecystokinin on rat's geniculate activity can be blocked by GABA-antagonists, 69
Anwyl, R., see Wang, Y., 207
Arbuthnott, G., see Strijbos, P.J.L.M., 215
Arilla, E., see Muñoz-Acedo, G., 41
Arita, H., Ichikawa, K., Sakamoto, M., Serotonergic cells in nucleus raphe pallidus provide tonic drive to posterior cricoarytenoid motoneurons via 5-hydroxytryptamine$_2$ receptors in cats, 113
Audet, R., see Ratnakumari, L., 89

Başar, E., see Schürmann, M., 167
Başar-Eroglu, C., see Schürmann, M., 167
Baik, S.H., see Cha, C.I., 45
Ball, R., see Stanimirovic, D.B., 219
Balzamo, E., Burnet, H., Jammes, Y., Hypoxemia does not affect the strength of the inspiration-inhibiting Breuer-Hering reflex, 129
Balzamo, E., Burnet, H., Zattara-Hartmann, M.C., Jammes, Y., Increasing background inspiratory resistance changes somatosensory sensations in healthy man, 125
Barnum, S.R., Jones, J.L., Differential regulation of C3 gene expression in human astroglioma cells by interferon-γ and interleukin-1β, 121
Beason-Held, L.L., see Poduri, A., 1
Berthoz, A., see Gavrilov, V.V., 239
Bianciotti, L., see Vatta, M., 29
Bigbee, J.W., see Dupree, J.L, 37
Birbaumer, N., see Daum, I., 137
Birbaumer, N., see Preissl, H., 81
Boado, R.J., Brain-derived peptides regulate the steady state levels and increase stability of the blood–brain barrier GLUT1 glucose transporter mRNA, 179
Bômont, L., MacKenzie, E.T., Neuroprotection after focal cerebral ischaemia in hyperglycaemic and diabetic rats, 53
Boulu, R.G., see Lancelot, E., 85
Braun, C., see Daum, I., 137
Brown, G.M., see Yuan, H., 154
Burnet, H., see Balzamo, E., 125
Burnet, H., see Balzamo, E., 129
Burrows, A., see Mitchell, S.L., 133
Butterworth, R.F., see Ratnakumari, L., 89

Callebert, J., see Lancelot, E., 85
Carceller, F., see Cuevas, P., 183
Carfagna, N., Di Clemente, A., Cavanus, S., Damiani, D., Gerna, M., Salmoiraghi, P., Cattaneo, B., Post, C., Modulation of hippocampal ACh release by chronic nicergoline treatment in freely moving young and aged rats, 195
Carlton, S.M., Hargett, G.L., Coggeshall, R.E., Localization and activation of glutamate receptors in unmyelinated axons of rat glabrous skin, 25
Casamenti, F., see Scali, C., 171
Cattaneo, B., see Carfagna, N., 195
Cavanus, S., see Carfagna, N., 195
Cha, C.I., Lee, E.Y., Lee, Y.I., Baik, S.H., Age related change in the vasoactive intestinal polypeptide-immunoreactive neurons in the cerebral cortex of aged rats, 45
Chan, C.W.Y., see Yuan, H., 154
Coggeshall, R.E., see Carlton, S.M., 25
Collins, J.J., see Mitchell, S.L., 133
Cuevas, P., Carceller, F., Giménez-Gallego, G., Acidic fibroblast growth factor prevents post-axotomy neuronal death of the newborn rat facial nerve, 183
Czachurski, J., see Zanzinger, J., 199

Damiani, D., see Carfagna, N., 195
Daum, I., Braun, C., Riesch, G., Miltner, W., Ackermann, H., Schugens, M.M., Birbaumer, N., Pain-related cerebral potentials in patients with frontal or parietal lobe lesions, 137
De Luca, C.J., see Mitchell, S.L., 133
del Hoyo, N., see Muñoz-Acedo, G., 41
Deutschlander, M.E., Phillips, J.B., Characterization of an ultraviolet photoreception mechanism in the retina of an amphibian, the axolotl *(Ambystoma mexicanum)*, 93
Di Clemente, A., see Carfagna, N., 195
Dobashi, I., Tozawa, F., Horiba, N., Sakai, Y., Sakai, K., Suda, T., Central administration of saikosaponin-d increases corticotropin-releasing factor mRNA levels in the rat hypothalamus, 235
Dupree, J.L, Maynor, E.N., Bigbee, J.W., Inverse correlation of acetylcholinesterase (AChE) activity with the presence of neurofilament inclusions in dorsal root ganglion neurons cultured in the presence of a reversible inhibitor of AChE, 37
Durkin, J.P., see Stanimirovic, D.B., 219

Egawa, K., see Tsuboi, T., 72
Enomoto, K.-i., see Kawamura, T., 164

Fahrbach, S.E., Strande, J.L., Robinson, G.E., Neurogenesis is absent in the brains of adult honey bees and does not explain behavioral neuroplasticity, 145
Fernández, B., see Vatta, M., 29
Fowler, J.C., Choline substitution for sodium triggers glutamate and adenosine release from rat hippocampal slices, 97
Fukuhara, C., see Nishiwaki, T., 231
Furukawa, K., see Iigo, M., 61

Gannon, R.L., see Weber, E.T., 227
Gavrilov, V.V., Wiener, S.I., Berthoz, A., Enhanced hippocampal theta EEG during whole body rotations in awake restrained rats, 239
Gean, P.-W., see Hsu, K.-S., 141
Geisert, Jr., E.E., see Seo, H., 13
Gerna, M., see Carfagna, N., 195
Giménez-Gallego, G., see Cuevas, P., 183
Goedert, M., , see Sperber, B.R., 149
Greenfield, S.A, see Hawkins, C.A., 203
Grothe, C., Meisinger, C., Fibroblast growth factor (FGF)-2 sense and antisense mRNA and FGF receptor type 1 mRNA are present in the embryonic and adult rat nervous system: specific detection by nuclease protection assay, 175

Hara, M., see Iigo, M., 61
Hargett, G.L., see Carlton, S.M., 25
Harkiss, G., see Strijbos, P.J.L.M., 215
Hattori, A., see Iigo, M., 61
Hawkins, C.A., Greenfield, S.A, Recombinant acetylcholinesterase has

behavioural effects in the rat substantia nigra not attributable to its enzymatic activity, 203
Hawtin, S.R., see Pollack, S.J., 211
Hayes, R.L., see Whitson, J.S., 159
Hayes, R.L., see Yang, K., 101
Henklein, P., see Albrecht, D., 69
Hietala, O.A., see Junttila, T., 187
Higashida, H., see Kawamura, T., 164
Hiroi, N., Compartmental organization of calretinin in the rat striatum, 223
Hirose, G., see Sakai, K., 33
Hochman, S., see MacLean, J.N., 9
Honda, T., Ozaki, N., Tonosaki, Y., Nishiyama, K., Shigemoto, R., Sugiura, Y., Synaptic organization and ultrastructural features of the substance P-receptor-like immunoreactive neurons in the nucleus intermediolateralis of rats, 117
Horiba, N., see Dobashi, I., 235
Hoshi, N., see Kawamura, T., 164
Hsu, K.-S., Huang, C.-C., Gean, P.-W., Muscarinic depression of excitatory synaptic transmission mediated by the presynaptic M3 receptors in the rat neostriatum, 141
Huang, C.-C., see Hsu, K.-S., 141
Hylland, P., see Söderström, V., 191
Hyman, B.T., see Poduri, A., 1

Ibata, Y., see Nishiwaki, T., 231
Ichikawa, K., see Arita, H., 113
Iigo, M., Furukawa, K., Hattori, A., Hara, M., Ohtani-Kaneko, R., Suzuki, T., Tabata, M., Aida, K., Effects of pinealectomy and constant light exposure on day-night changes of melatonin binding sites in the goldfish brain, 61
Ijaz, S., see Shuaib, A., 109
Inatomi, T., see Nishiwaki, T., 231
Inouye, S.-I.T., see Nishiwaki, T., 231
Izquierdo-Claros, R.M., see Muñoz-Acedo, G., 41

Jacob, J.M., O'Donoghue, D.L., Direct measurement of fast axonal transport rates in corticospinal axons of the adult rat, 17
Jammes, Y., see Balzamo, E., 125
Jammes, Y., see Balzamo, E., 129
Jones, J.L., see Barnum, S.R., 121
Junttila, T., Rechardt, L., Hietala, O.A., Pelto-Huikko, M., The expression of ornithine decarboxylase antizyme mRNA and protein in rat motoneurons, 187

Kampfl, A., see Whitson, J.S., 159
Kanemasa, K., see Nishiwaki, T., 231
Kanthan R., see Shuaib, A., 109
Kawamura, T., Enomoto, K.-i., Yokoyama, S., Hoshi, N., Yamashita, J., Higashida, H., Whole-cell analysis of NGK2 (mKv3.1a) K^+ channels stably expressed in mouse fibroblast cells, 164
Keller, J.T., see Nemade, R.V., 78
Kitagawa, Y., , see Sakai, K., 33
Kolev,V., see Schürmann, M., 167
Kriem, B., Rostain, J.-C., Abraini, J.H., Involvement of 5-HT_3 receptor in the pressure-induced increase in striatal and accumbens dopamine release and the occurrence of behavioral disorders in free-moving rats, 57
Krulík, R., see Novotná, R., 49

Lancelot, E., Callebert, J., Revaud, M.-L., Boulu, R.G., Plotkine, M., Detection of hydroxyl radicals in rat striatum during transient focal cerebral ischemia: possible implication in tissue damage, 85
Lee, E.Y., see Cha, C.I., 45
Lee, N., see MacLennan, A.J., 105
Lee, V.M.-Y., see Sperber, B.R., 149
Lee, Y.I., see Cha, C.I., 45
Leight, S., , see Sperber, B.R., 149
Lewis, A.I., see Nemade, R.V., 78
Lipsitz, L.A., see Mitchell, S.L., 133
Lutzenberger, W., see Preissl, H., 81

MacKenzie, E.T., see Bômont, L., 53
MacLean, J.N., Hochman, S., Magnuson, D.S.K., Lamina VII neurons are rhythmically active during locomotor-like activity in the neonatal rat spinal cord, 9
MacLennan, A.J., Lee, N., Walker, D.W., Chronic ethanol administration decreases brain-derived neurotrophic factor gene expression in the rat hippocampus, 105
Magnuson, D.S.K., see MacLean, J.N., 9
Maynor, E.N., see Dupree, J.L, 37
Meisinger, C., see Grothe, C., 175
Miltner, W., see Daum, I., 137
Mitchell, S.L., Collins, J.J., De Luca, C.J., Burrows, A., Lipsitz, L.A., Open-loop and closed-loop postural control mechanisms in Parkinson's disease: increased mediolateral activity during quiet standing, 133
Miyazaki, M., see Tsuboi, T., 72
Monserrat, A., see Vatta, M., 29
Morrison, L.D., Kish, S.J., Brain polyamine levels are altered in Alzheimer's disease, 5
Morrison, L.D., Kish, S.J., see Morrison, L.D., 5
Moss, M.B., see Poduri, A., 1
Mu, X.S., see Yang, K., 101
Muñoz-Acedo, G., Izquierdo-Claros, R.M., Sánchez-Alonso, J.A., del Hoyo, N., Pérez-Albarsanz, M.A., Arilla, E., Effect of somatostatin on the mass accumulation of inositol-1,4,5-trisphosphate in rat hypothalamus, striatum, frontoparietal cortex and hippo-campus, 41

Nemade, R.V., Lewis, A.I., Zuccarello, M., Keller, J.T., Immunohistochemical localization of endothelial nitric oxide synthase in vessels of the dura mater of the Sprague–Dawley rat, 78
Nilsson, G.E., see Söderström, V., 191
Nishiwaki, T., Okamura, H., Kanemasa, K., Inatomi, T., Ibata, Y., Fukuhara, C., Inouye, S.-I.T., Differences of somatostatin mRNA in the rat suprachiasmatic nucleus under light-dark and constant dark conditions: an analysis by in situ hybridization, 231
Nishiyama, K., see Honda, T., 117
Novotná, R., Zelenková, Z., Krulík, R., Novotný, I., Arginine vasopressin stimulates ^{32}P labeling of phosphoinositides in rat pineal gland, 49
Novotný, I., see Novotná, R., 49

O'Donoghue, D.L., see Jacob, J.M., 17
Ogasawara, T., , see Sakai, K., 33
Ohtani-Kaneko, R., see Iigo, M., 61
Okamura, H., see Nishiwaki, T., 231
Ozaki, N., see Honda, T., 117

Pang, S.F., see Yuan, H., 154
Pelto-Huikko, M., see Junttila, T., 187
Pepeu, G., see Scali, C., 171

Perazzo, J., see Vatta, M., 29
Perazzolo, M., see Zatta, P., 65
Pérez-Albarsanz, M.A., see Muñoz-Acedo, G., 41
Phillips, J.B., see Deutschlander, M.E., 93
Pizziuti, A., see Zatta, P., 65
Plotkine, M., see Lancelot, E., 85
Poduri, A., Beason-Held, L.L., Moss, M.B., Rosene, D.L., Hyman, B.T., CA3 neuronal degeneration follows chronic entorhinal cortex lesions, 1
Pollack, S.J., Sadler, I.I.J., Hawtin, S.R., Tailor, V.J., Shearman, M.S., Sulfonated dyes attenuate the toxic effects of β-amyloid in a structure-specific fashion, 211
Post, C., see Carfagna, N., 195
Preissl, H., Pulvermüller, F., Lutzenberger, W., Birbaumer, N., Evoked potentials distinguish between nouns and verbs, 81
Pulvermüller, F., see Preissl, H., 81

Qureshi, I.A., see Ratnakumari, L., 89

Ratnakumari, L., Audet, R., Qureshi, I.A., Butterworth, R.F., Na^+,K^+-ATPase activities are increased in brain in both congenital and acquired hyperammonemic syndromes, 89
Rea, M.A., see Weber, E.T., 227
Rechardt, L., see Junttila, T., 187
Revaud, M.-L., see Lancelot, E., 85
Riesch, G., see Daum, I., 137
Robinson, G.E., see Fahrbach, S.E., 145
Rodriguez-Fermepín, M., see Vatta, M., 29
Rosene, D.L., see Poduri, A., 1
Rostain, J.-C., see Kriem, B., 57
Rothwell, N.J., see Strijbos, P.J.L.M., 215
Rowan, M.J., see Wang, Y., 207

Sadler, I.I.J., see Pollack, S.J., 211
Sakai, K., Kitagawa, Y., Ogasawara, T., Hirose, G., Expression of messenger RNA encoding a paraneoplastic cerebellar degeneration-associated antigen in the rat hippocampus, 33
Sakai, K., see Dobashi, I., 235
Sakai, Y., see Dobashi, I., 235
Sakamoto, M., see Arita, H., 113
Salmoiraghi, P., see Carfagna, N., 195
Sánchez-Alonso, J.A., see Muñoz-Acedo, G., 41
Sato, T., see Tsuboi, T., 72
Scali, C., Vannucchi, M.G., Pepeu, G., Casamenti, F., Peripherally injected scopolamine differentially modulates acetylcholine release in vivo in the young and aged rats, 171
Schugens, M.M., see Daum, I., 137
Schürmann, M., Başar-Eroglu, C., Kolev,V., Başar, E., A new metric for analyzing single-trial event-related potentials (ERPs): application to human visual P300 delta response, 167
Seller, H., see Zanzinger, J., 199
Seo, H., Geisert, Jr., E.E., A keratan sulfate proteoglycan marks the boundaries in the cortical barrel fields of the adult rat, 13
Shearman, M.S., see Pollack, S.J., 211
Shigemoto, R., see Honda, T., 117
Shuaib, A., Ijaz, S., Kanthan R., Clomethiazole protects the brain in transient forebrain ischemia when used up to 4 h after the insult, 109
Söderström, V., Hylland, P., Nilsson, G.E., Nitric oxide synthase inhibitor blocks acetylcholine induced increase in brain blood flow in rainbow trout, 191
Sperber, B.R., Leight, S., Goedert, M., Lee, V.M.-Y., Glycogen synthase kinase-3β phosphorylates tau protein at multiple sites in intact cells, 149
Stanimirovic, D.B., Ball, R., Durkin, J.P., Evidence for the role of protein kinase C in astrocyte-induced proliferation of rat cerebromicrovascular endothelial cells, 219
Strande, J.L., see Fahrbach, S.E., 145
Strijbos, P.J.L.M., Zamani, M.R., Rothwell, N.J., Arbuthnott, G., Harkiss, G., Neurotoxic mechanisms of transactivating protein *Tat* of Maedi-Visna virus, 215
Sturner, W.Q., see Yuan, H., 154
Suda, T., see Dobashi, I., 235
Sugiura, Y., see Honda, T., 117
Suzuki, T., see Iigo, M., 61

Tabata, M., see Iigo, M., 61
Tailor, V.J., see Pollack, S.J., 211
Timmerman, W., Westerink, B.H.C., Extracellular γ-aminobutyric acid in the substantia nigra reticulata measured by microdialysis in awake rats: effects of various stimulants, 21
Tokimasa, T., Effects of myosin light chain kinase inhibitors on delayed rectifier potassium current in bullfrog sympathetic neurons, 75
Tonosaki, Y., see Honda, T., 117
Tozawa, F., see Dobashi, I., 235
Tsuboi, T., Sato, T., Egawa, K., Miyazaki, M., The effect of fatigue caused by electrical induction or voluntary contraction on Ia inhibition in human soleus muscle, 72

Vannucchi, M.G., see Scali, C., 171
Vatta, M., Rodriguez-Fermepín, M., Bianciotti, L., Perazzo, J., Monserrat, A., Fernández, B., Atrial natriuretic factor enhances norepinephrine uptake in circumventricular organs, locus coeruleus and nucleus tractus solitarii of the rat, 29

Walker, D.W., see MacLennan, A.J., 105
Wang, Y., Rowan, M.J., Anwyl, R., (*RS*)-α-Methyl-4-carboxyphenylglycine inhibits long-term potentiation only following the application of low frequency stimulation in the rat dentate gyrus in vitro, 207
Weber, E.T., Gannon, R.L., Rea, M.A., cGMP-Dependent protein kinase inhibitor blocks light-induced phase advances of circadian rhythms in vivo, 227
Westerink, B.H.C., see Timmerman, W., 21
Whitson, J.S., Kampfl, A., Zhao, X., Hayes, R.L., Time course of neurofilament protein loss following depolarization-induced injury in CNS culture, 159
Wiener, S.I., see Gavrilov, V.V., 239

Yamashita, J., see Kawamura, T., 164
Yang, K., Mu, X.S., Hayes, R.L., Increased cortical nuclear factor-κB (NF-κB) DNA binding activity after traumatic brain injury in rats, 101
Yokoyama, S., see Kawamura, T., 164
Yuan, H., Chan, C.W.Y., Sturner, W.Q., Pang, S.F., Brown, G.M., Comparison of [^{125}I]iodomelatonin binding sites in infant cerebellum of sudden infant death syndrome and non-sudden infant death syndrome, 154

Zamani, M.R., see Strijbos, P.J.L.M., 215
Zambenedetti, P., see Zatta, P., 65

Zanzinger, J., Czachurski, J., Seller, H., Effects of nitric oxide on sympathetic baroreflex transmission in the nucleus tractus solitarii and caudal ventrolateral medulla in cats, 199
Zatta, P., Zambenedetti, P., Pizziuti, A., Perazzolo, M., Different effects of aluminum upon carbonic anhydrases and Na^+/K^+-ATPase activities in rat, 65
Zattara-Hartmann, M.C., see Balzamo, E., 125
Zelenková, Z., see Novotná, R., 49
Zhao, X., see Whitson, J.S., 159
Zippel, U., see Albrecht, D., 69
Zuccarello, M., see Nemade, R.V., 78